



### Operators Compartment

- 650 lbs Capacity
- Large Ergonomic Platform 52" Wide x 38" Long
- Adjustable Lanyard Boom
- EPD-Power Disconnect
- Raise/Lower Buttons
- Safety—Shock Cord

innegassed

# **OP20**

## Bulk Order Picker

"Man-Up" mobile order picker, used in retail or industrial applications where additional truck capacity is needed; pick case's or bulk orders.



### Automatic "Smart" Charger

- Direct Connect 110 Plug-In
- Charger Amp Meter
- Full Charge "Indicator Light"

### Walkie-Controls

- Tiller Arm Steering
- Twist Grip or Thumb Control Travel
- Belly Button Reverse Switch
- Flashing Light
- Hydraulic Relief Valve
- Travel Cut-Out



#### **Built-In Batteries**

• (2) 12V 135 AH Maintenance Free "Gel Cell" Batteries

## **Specifications**

### **General Description & Capacity**

- Electric Walk Behind Order Picker
- 650 lbs Platform Capacity

### **Operators Compartment**

- "All Steel" Wrap Around Control Handle for Travel with the Platform Lowered-Thumb or Twist Grip Control
- Capacity: Personnel + Merchandise + Equipment = 650 lbs •

93"

1.1 MPH

55.5"

10%

- Raise & Lower Buttons on Platform •
- Emergency Power Disconnect-EPD •
- Travel Cut-Out above 12" of Lift Height •
- Lanyard Boom with Safety Shock Cord •
- **Platform Posts & Chains**

### Dimensions

- 52" W x 38" L Platform Size-•
- Platform Height—Extended 12' 3"
- 5.87" Platform Height—Lowered 16'
- Working Height •
- Collapsed Height •
- **Extended Height** 235.25 •
- **Overall Chassis Length** 69.87" • 54"
- **Overall Chassis Width** 1801 lbs
- **Truck Weight** •
- **Travel Speed** .
- **Turning Radius** •
- Gradeability

### Drive—24 Volt System

- Transistor Travel Controller Curtis
- 10" x 4" Polyurethane Drive Tire •
- Load Wheels
- Maintenance Free-Gel
- Motor-Direct Drive
- 4" x 2.75" 135 AH Batteries DC



## **12-Month Warranty**

Big Joes factory authorized dealer network offers professional on-site service. For Big Joe "MAS" Fleet Management and "Parts Pro" after market support contact your Big Joe Sales Representative



Certification All units are built to be in compliance with the Occupational Safety & Health Act (OSHA)

Big Lift LLC will not assume liability for injuries or damage arising from, or caused by, the removal of any safety devices from their vehicles by user. Because of the Big Lift LLC of continuing product improvements, specifications are subject to change without notice.





### Mast

- 152" Platform Height
- Telescopic I Beam Mast
- Heavy Duty Mast Rollers

=

Flashing Light

## **OP30**

## Bulk Order Picker

"Man-Up" mobile order picker, used in retail or industrial applications where additional truck capacity is needed; pick case's or bulk orders.

### Walkie-Controls

- Tiller Arm Steering
- Travel Cut-Out
- Belly Button
- Thumb Control Travel



### **Operators Compartment**

- EPD-Power Disconnect
- Raise/Lower Buttons
- Safety—Shock Cord
- 650 lbs Capacity
- Large Ergonomic Platform 44" Wide x 48" Long
- Adjustable Lanyard Boom
- Self Retracting Lifeline

### **Built-In Batteries and Charger**

- Automatic "Smart" Charger
- SCR 110 VAC Plug-In
- Charger Amp Meter-Full Charge Indicator
- 180 AH Maintenance Free Batteries

### **Specifications**

### **General Description & Capacity**

- Electric Walk Behind Order Picker
- 650 lbs Platform Capacity

### **Operators Compartment**

- "All Steel" Wrap Around Control Handle for Travel with the Platform Lowered-Thumb or Twist Grip Control
- Capacity: Personnel + Merchandise + Equipment = 650 lbs •

93"

58"

10%

84.7"

2055 lbs

1.1 MPH

- Raise & Lower Buttons on Platform •
- Emergency Power Disconnect-EPD •
- Travel Cut-Out above 4" of Lift Height •
- Lanyard Boom with Self Retracting Lifeline •
- Flashing Light

### Dimensions

- Platform Size-44" W x 48" L •
- Platform Height—Extended 152"
- Platform Height—Lowered 5.8" 204"
- **Picking Height** •
- Collapsed Height •
- **Extended Height** •
- **Overall Chassis Length** 76.6" • 46"
- **Overall Chassis Width**
- **Truck Weight** •
- **Travel Speed** .
- **Turning Radius** •
- Gradeability

### Drive—24 Volt System

- Transistor Travel Controller Curtis
- 10" x 4" Polyurethane Drive Tire •
- Load Wheels
- Maintenance Free-Gel
- Motor-Direct Drive
- 4" x 2.75" **180 AH Batteries** DC

### **12-Month Warranty**

Big Joes factory authorized dealer network offers professional on-site service. For Big Joe "MAS" Fleet Management and "Parts Pro" after market support contact your Big Joe Sales Representative



Big Lift LLC Phone: 630-916-2600 Fax: 630-916-0657 www.bigjoeforklifts.com

Certification All units are built to be in compliance with the Occupational Safety & Health Act (OSHA)

Big Lift LLC will not assume liability for injuries or damage arising from, or caused by, the removal of any safety devices from their vehicles by user. Because of the Big Lift LLC of continuing product improvements, specifications are subject to change without notice.

